Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



INDEXES

18 8 8 8 A. S. F. 30

62,83

E. L. LONG

ALVIN, TEXAS

The Largest Seed House In South Texas

All my seed are tested for Germination before I

1929-1930 PRICE LIST ON NURSERY STOCK

All Orange Buds taken from heavy bearing trees. This, together with a strong, healthy root system insures you long life trees and heavy bearers. Don't overlook the Pineapple pear—it is the money maker of South Texas.

December and January are the two best months to plant fruit trees.

Exhibition and Sales Ground--Hardy Street, Opposite Alvin Hotel.

1929-1930 PRICE LIST

IMPROVED SATSUMA ORANGES
All Buds from heavy bearing trees

Two year old Satsuma Orange Trees \$1.00 each Three year old Satsuma Orange Trees 1.25 each

ROUND ORANGES

Improved Texas Sweet } Pine Apple	6 to 12 inches .20 12 to 16 inches .35 18 to 22 inches .45 24 to 30 inches .50 32 to 36 inches .65
Two year old	
Meyer's Commercial Lemon, 1-yo Meyer's Commercial Lemon, 2-y Sicily Everbearing Lemon Ponderosa Lemon	vear old, \$1.00 each

GRAPE FRUIT

Ruby Special,—very sweet—grown in Texas5	nothing 0, \$1.00	like th	em .50	ever each
Marsh Seedless Duncan	} .40	75	-	\$1.00

KUMQUATS

Oblong	:
Oblong Round, Sweet	20305075
Small Round	,

PEARS

Pine Appleon	Japanese roots,	2 to 3 feet .25 3 to 4 feet .30
blight-resisting,	bear third year	4 to 5 feet .35

Bartlett — on Japanese roots, polight-resisting, bear third year	3 to 4 feet .40 4 to 5 feet .50	
Two year old	75c each	
Le Conte, very early/ Garber, medium/ Keiffer, late but good preserver	4 to 5 feet .45 5 to 6 feet .55	
PLUMS		
Bruce, ripens about May 20 Menthly, ripens about May 15 Gonzales, ripens about July 1 Texas Beauty, ripens about May 10 Francis, ripens about June 15 Excelsior, ripens about July 10	25 to 35 cents	
2 to 3 year old Plums, bear (first year	75c each	
PEACHES		
Best June, ripens June 10 (Mamie Ross, ripens July 5 Indian Kling, ripens August 1 Elberta, ripens July 10 (Honey, ripens June 15 (Carmen, ripens July 5)	25 to 35 cents	
APPLES		
Helms Becker }	2 to 3 feet .40 3 to 4 feet .50	
QUINCES		
Orange	.40	
LARGE JAPANESE PERSIMMONS		
Tani Nashi	2 to 3 feet .35 3 to 4 feet .45 4 to 5 feet .55	
500,000 Trifolita plants	_ \$2.50 thousand	
CHERRIES		
Early Richmond; Large Montmore	ency 60c each	

FIGS

Magnolia	25	cents
Celestial	30	cents
Green Ischea	30	cents
Brown Turkey	30	cents

GRAPES


Moore's Early	•
Moore's Early	1-year old 15c each
Concord	2-year old 25c each
Carman	

PECANS

Stuarts	3 to 4 feet 4 to 5 feet 5 to 6 feet 7 to 8 feet	
Success	3 to 4 feet 4 to 5 feet 5 to 6 feet 7 to 8 feet	75c each 85c each 95c each \$1.25 each
Schley	3 to 4 feet 4 to 5 feet	75c each 85c each
Money Maker	3 to 4 feet 4 to 5 feet	75c each 85c each
Delmas	3 to 4 feet 4 to 5 feet	75c each 85c each
Pabst	4 to 5 feet 5 to 6 feet	75c each 85c each 95c each \$1.25 each
Frotscher	3 to 4 feet 4 to 5 feet	75c each 85c each
Moore's		75c each 85c each \$1.25 each

All budded on four year old roots and will bear the third year

APRICOTS—on Mariana roots 4 to 6 feet __ .45 Moor Park; Royal.



DEWBERRIES

Thornle	ss	8c	each
Mayes		5c	each

BLACKBERRIES

McDonald 5c each	\$3.00 hundred
Dallas 5c each	\$3.00 hundred
China Ju Juba	25c to 35c

ROSES

Red and Pink Radiance _____ 25c to 35c

Citrus trees should be pruned before planting. It is a safe plan with practically all plants that the tops and broken roots (if any) should be cut back before planting.

Set the trees the same depth they stood in the nursery rows. The exact point can be determined by the earth-mark, or the "collar". Citrus trees, particularly, are very much injured by too deep planting, and it is a safe rule with all trees and shrubs to set them a little higher than they grew rather than lower. Spread out the roots carefully by hand, and pack the earth well around them. When the hole is three-quarters filled up, pack thoroughly with the feet. This is important. More trees are lost from loose packing than from any other cause. After packing thoroughly, and before the hole is quite filled up, pour in water, especially if the soil is dry.

December and January planting brings best results. They get a better and earlier start in Spring.